
SITE LECEND

| SYMBOL | DESCRIPTION |
|-----------|----------------------------------------------------------------------|
| | SANITARY SEWER BELOW GRADE |
| | EXISTING SANITARY SEWER GRADE |
| GI | GREASE INTERCEPTOR INLET LINE |
| | DOMESTIC COLD WATER (C.W.) |
| | COMBINATION FIRE/DOMESTIC WATER SERVICE |
| F | DEDICATED FIRE LINE |
| EW | |
| G | NATURAL GAS PIPING (INSTALLED BY GAS CO.) CONTRACTOR TO PAY COSTS |
| EG | |
| F.H. | FIRE HYDRANT |
| T.B. | THRUST BLOCK |
| СО | CLEANOUT |
| М.Н. | MANHOLE |
| \bullet | POINT AT WHICH NEW CONNECTS TO EXISTING |
| | POINT OF DEDICATED FIRE SERVICE |

<u>NOTES</u>


- b. The Contractor is to be responsible for informing the City of Johnson City Water and Sewer Inspection Division in writing two weeks prior to the start of construction and three weeks prior to water and sewer service connections to the City's system, conforming to the requirements of the City's inspector during construction, and requesting final inspection and approval from the City.
- d. The Contractor shall be responsible for locating and verifying the elevations of existing utilities prior to construction.
- e. All excavation for tie-ins and taps as well as all backfilling operations will be the responsibility of the developer.
- f. Backfill for water and sewer lines in the street shall be compacted crushed stone. g. Connection to existing City facilities shall be made only under the supervision of a representative of the City.




a. All water and sewer construction shall be in accordance with the specifications of the City of Johnson City and TDEC.


c. All water and sewer plans must be submitted to and approved by TDEC prior to construction. A copy of the approval letter and plans must be submitted to the Johnson City Water and Sewer Engineering Department prior to construction.

ONTIFT.






CONSULTING ENGINEER 900 East Hill Ave. Suite 350 Knoxville , Tennessee 37915 (865) 522-0393 PROJECT NO. N16794





SEWER MANHOLE PROFILE SCALE : HURIZUNTAL 1' = 50'-0' VERTICAL 1' = 10'-0'







CONSULTING ENGINEER 900 East Hill Ave. Suite 350 Knoxville , Tennessee 37915 (865) 522-0393 Project No. N16794









WATER METER PIT & METER DETAIL

